

2"x12" Glass Field Tile - Matte






# 4"x4" Glass Field Tile - Matte



# Skinny Chevron All Glass Mosaic - Matte (11 1/4"x11 1/4" Sheet)



# 13/4" Triangle Glass/Stone Mosaic - Matte (9 1/2"x10" Sheet)



Pearl & Oriental White



Silver & White Carrara



Blue & White Carrara




Light Green & Oriental White



Gray & Oriental White



Dark Green & Oriental White



Brown & Oriental White

## 3/8"x4" Stacked Glass/Stone Mosaic - Matte (11 3/4"x12" Sheet)



Pearl & Oriental White



Silver & White Carrara



Blue & White Carrara



Light Green & Oriental White



Gray & Oriental White



Dark Green & Oriental White



Brown & Oriental White



### SIZING & PACKAGING

Туре	Blue Item Code	Brown ItemCode	Dark Green Item Code	Gray Item Code	Light Green Item Code	Pearl ItemCode	Silver Item Code	Size	Description	Pcs/Ctn	Sf/Ctn
Field	100004053	100004054	100004056	100004052	100004055	100004050	100004051	2"x12"	Glass Field Tile - Matte	40	6.46
	100004060	100004061	100004063	100004059	100004062	100004057	100004058	4"x4"	Glass Field Tile - Matte	100	10.76
Mosaic	100004082	100004083	100004085	100004081	100004084	100004079	100004080	91/2"x10" Sht.	13/4" Triangle Glass/Stone Mosaic - Matte	10	6.92
	100004067	100004068	100004070	100004066	100004069	100004064	100004065	111/4"x111/4" Sht.	Skinny Chevron All Glass Mosaic - Matte	10	8.96
	100004075	100004076	100004078	100004074	100004077	100004072	100004073	113/4"x12"Sht.	3/8"x4" Stacked Glass/Stone Mosaic - Matte	10	9.68

## ANSITECHNICAL SPECIFICATIONS

	DCOF Acutest	Scratch Resistance MOHS	Breaking Strength ASTM# C648	Water Absorption ASTM# C373	Chemical Resistance ASTM# C650	Bond Strength A137.2-7.7	Thermal Shock ASTM# C484
Results	N/A	N/A	≥ 1200 lbf	≤ 0.5%	Unaffected	N/A	Pass

Shade Variation

V2-Slight

## **APPLICATIONS**

	Floors	Walls	Countertops	Shower Floors	Shower Walls	Pools/Spas
Residential		•			•	
Commercial		•			•	

## LEGEND

- Product rated for Interior & Exterior use
- Product rated for Interior use only
- † May be suitable for Exterior Floors

- $\varnothing$  Applications & ANSI Technical Specifications do not apply
- \* Special Order only

If the product has a mesh-mounted back, it cannot be installed in submerged areas. (Mosaics Only)

These tiles are handmade and subject to color variation. Mix randomly from different boxes to balance variation.

The samples shown on the front may not represent all colors and patterns within the product. Please view images online or the product in store.

This product is artisanal and may possess inherent size and color variation.

This tile must be installed with premium modified thinset. Do not use mastic.

Merchandising materials and samples are for general reference only and representative of a product's potential characteristics. Tile is subject to variation in color/shade, size, texture, and finish. Field, mosaic and trim tile may not match exactly. Blend tiles from different boxes to achieve consistent shade distribution. Installer and end user must conduct a dry mock layout under proper lighting conditions to inspect the product. Installation constitutes product acceptance. Improper installation, apel, care and maintenance voids warranty. Reference the TCNA Handbook and ANSI for installation guidance. Please visit bedrosians.com for current product information. We reserve the right to make product changes at any time without notice.

100006256

bedrosians.com

